

铰刀 | Reamer

采用全新细微粒钨钢棒料研磨而成,精度准确,耐热度高。
Made of brand new fine particle tungsten steel rod material,
with accurate accuracy and high heat resistance.



GEEFUN®

➤ REA-H7
REA-H7 4刃/6刃铰刀
REA-H7 4-Flutes/6-Flutes carbide reamer

REA-H7 | 铰刀
Reamer



P

M

K

N

☒

☒

☒

☐

S

H

☐

☐

d1

L1

L2

L

d2

Dh6

4

柄径 H7

ITEM CODE	d1	d2	L1	L2	Dh6	L
REA-4EH70004	Φ4	Φ3.5	15	15	Φ4	65
REA-4EH70045	Φ4.5	Φ4	15	15	Φ5	65
REA-4EH70005	Φ5	Φ4.5	15	15	Φ5	65
REA-4EH70055	Φ5.5	Φ5	15	15	Φ6	65
REA-4EH70006	Φ6	Φ5.5	15	15	Φ6	65
REA-4EH70065	Φ6.5	Φ6	15	15	Φ8	75
REA-4EH70007	Φ7	Φ6.5	20	15	Φ8	75
REA-4EH70075	Φ7.5	Φ7	20	15	Φ8	75
REA-4EH70008	Φ8	Φ7.5	20	15	Φ8	75
REA-4EH70085	Φ8.5	Φ8	20	15	Φ10	75
REA-4EH70009	Φ9	Φ8.5	20	15	Φ10	75
REA-4EH70095	Φ9.5	Φ9	20	15	Φ10	75
REA-4EH70010	Φ10	Φ9.5	20	15	Φ10	75
REA-6EH70105	Φ10.5	Φ10	20	20	Φ12	90
REA-6EH70011	Φ11	Φ10.5	20	20	Φ12	90
REA-6EH70115	Φ11.5	Φ11	20	20	Φ12	90
REA-6EH70012	Φ12	Φ11.5	20	20	Φ12	90
REA-6EH70125	Φ12.5	Φ12	20	25	Φ14	100
REA-6EH70013	Φ13	Φ12.5	20	25	Φ14	100
REA-6EH70135	Φ13.5	Φ13	30	25	Φ14	100
REA-6EH70014	Φ14	Φ13.5	30	25	Φ14	100
REA-6EH70145	Φ14.5	Φ14	30	30	Φ16	110
REA-6EH70015	Φ15	Φ14.5	30	30	Φ16	110
REA-6EH70155	Φ15.5	Φ15	30	30	Φ16	110
REA-6EH70016	Φ16	Φ15.5	30	30	Φ16	110
REA-6EH70165	Φ16.5	Φ16	35	30	Φ18	115
REA-6EH70017	Φ17	Φ16.5	35	30	Φ18	115
REA-6EH70175	Φ17.5	Φ17	35	30	Φ18	115
REA-6EH70018	Φ18	Φ17.5	35	30	Φ18	115
REA-6EH70185	Φ18.5	Φ18	35	30	Φ20	125
REA-6EH70019	Φ19	Φ18.5	35	30	Φ20	125
REA-6EH70195	Φ19.5	Φ19	35	30	Φ20	125
REA-6EH70020	Φ20	Φ19.5	35	30	Φ20	125

铰刀



铰刀
Reamer

- P

☒

M

☒

K


☒

N

☐
- S

☐
- H

☐



ITEM CODE	d1	d2	L1	L2	Dh6	L
REAC-4EH70004	Φ4	Φ3.5	15	15	Φ4	65
REAC-4EH70045	Φ4.5	Φ4	15	15	Φ5	65
REAC-4EH70005	Φ5	Φ4.5	15	15	Φ5	65
REAC-4EH70055	Φ5.5	Φ5	15	15	Φ6	65
REAC-4EH70006	Φ6	Φ5.5	15	15	Φ6	65
REAC-4EH70065	Φ6.5	Φ6	15	15	Φ8	75
REAC-4EH70007	Φ7	Φ6.5	20	15	Φ8	75
REAC-4EH70075	Φ7.5	Φ7	20	15	Φ8	75
REAC-4EH70008	Φ8	Φ7.5	20	15	Φ8	75
REAC-4EH70085	Φ8.5	Φ8	20	15	Φ10	75
REAC-4EH70009	Φ9	Φ8.5	20	15	Φ10	75
REAC-4EH70095	Φ9.5	Φ9	20	15	Φ10	75
REAC-4EH70010	Φ10	Φ9.5	20	15	Φ10	75
REAC-6EH70105	Φ10.5	Φ10	20	20	Φ12	90
REAC-6EH70011	Φ11	Φ10.5	20	20	Φ12	90
REAC-6EH70115	Φ11.5	Φ11	20	20	Φ12	90
REAC-6EH70012	Φ12	Φ11.5	20	20	Φ12	90
REAC-6EH70125	Φ12.5	Φ12	20	25	Φ14	100
REAC-6EH70013	Φ13	Φ12.5	20	25	Φ14	100
REAC-6EH70135	Φ13.5	Φ13	30	25	Φ14	100
REAC-6EH70014	Φ14	Φ13.5	30	25	Φ14	100
REAC-6EH70145	Φ14.5	Φ14	30	30	Φ16	110
REAC-6EH70015	Φ15	Φ14.5	30	30	Φ16	110
REAC-6EH70155	Φ15.5	Φ15	30	30	Φ16	110
REAC-6EH70016	Φ16	Φ15.5	30	30	Φ16	110
REAC-6EH70165	Φ16.5	Φ16	35	30	Φ18	115
REAC-6EH70017	Φ17	Φ16.5	35	30	Φ18	115
REAC-6EH70175	Φ17.5	Φ17	35	30	Φ18	115
REAC-6EH70018	Φ18	Φ17.5	35	30	Φ18	115
REAC-6EH70185	Φ18.5	Φ18	35	30	Φ20	125
REAC-6EH70019	Φ19	Φ18.5	35	30	Φ20	125
REAC-6EH70195	Φ19.5	Φ19	35	30	Φ20	125
REAC-6EH70020	Φ20	Φ19.5	35	30	Φ20	125

材质 Work Material	(N/mm²) 抗拉强度 (HB) 硬度	进给率fz(mm/r)			切削速度 Vc(m/min)	冷却液 Liquid Coolant
		Φ3-8	Φ8-20	Φ20-25		
结构钢 Structural steel	<500N/mm²	0.15-0.25	0.20-0.35	0.3-0.50	25-35	乳化剂 Emulsifier
	500-700N/mm²	0.1-0.12	0.17-0.30	0.25-0.40	25-35	
	700N/mm²	0.1-0.18	0.15-0.25	0.20-0.35	20-30	
工具钢 Tool Steel	<1400N/mm²	0.1-0.2	0.15-0.25	0.2-0.35	25-35	乳化剂 Emulsifier
	>1400N/mm²	0.08-0.12	0.1-0.15	0.15-0.3	20-30	
不锈钢 Stainless steel	<850N/mm2	0.1-0.15	0.15-0.2	0.2-0.3	15-25	乳化剂 Emulsifier
铸铁 Cast Iron	<200HB	0.2-0.3	0.3-0.5	0.4-0.7	25-35	干式切削 乳化剂 Dry Cutting Emulsifier
	>200HB	0.15-0.25	0.2-0.35	0.3-0.5	20-30	
铝合金 Aluminum Alloy		0.15-0.25	0.2-0.35	0.3-0.6	25-40	乳化剂 Emulsifier
铜合金 Copper Alloys		0.12-0.18	0.15-0.25	0.25-0.4	20-35	乳化剂 Emulsifier
钛合金 Titanium Alloy		0.08-0.12	0.1-0.15	0.15-0.2	30-40	乳化油 Emulsified oil

螺纹铣刀 | Thread milling cutter

高效钨钢螺纹铣刀排屑顺畅不粘刀。
Efficient tungsten steel thread milling cutter for smooth chip removal and non stick cutting.




GEEFUN®

»THR

单牙螺纹铣刀

THR-Carbide single-tooth thread milling cutter

THR | 螺纹铣刀
Thread milling cutter




ITEM CODE	M coarse	P	d	L1	Dh6	L	F
DM1*0.25*D4	M1*0.25	0.25	0.73	2.3	Φ4	50	3
DM1.2*0.25*D4	M1.2*0.25	0.25	0.92	2.8	Φ4	50	3
DM1.4*0.3*D4	M1.4*0.3	0.3	1.05	3.2	Φ4	50	3
DM1.6*0.35*D4	M1.6*0.35	0.35	1.2	3.3	Φ4	50	3
DM1.8*0.35*D4	M1.8*0.35	0.35	1.41	4.1	Φ4	50	3
DM2*0.4*D4	M2*0.4	0.4	1.54	4.4	Φ4	50	3
DM2.2*0.45*D4	M2.2*0.45	0.45	1.63	4.8	Φ4	50	3
DM2.5*0.45*D4	M2.5*0.45	0.45	1.96	5.3	Φ4	50	3
DM3*0.5*D4	M3*0.5	0.5	2.4	6.4	Φ4	50	3
DM3.5*0.6*D4	M3.5*0.6	0.6	2.75	7.4	Φ4	50	3
DM4*0.7*D4	M4*0.7	0.7	3.15	8.6	Φ4	50	3
DM4*0.7*D6	M4*0.7	0.7	3.15	8.6	Φ6	50	3
DM5*0.8*D4	M5*0.8	0.8	4	12	Φ4	50	3
DM5*0.8*D6	M5*0.8	0.8	4.05	12	Φ6	50	3
DM6*1*D6	M6*1	1	4.8	13	Φ6	50	3
DM8*1.25*D6	M8*1.25	1.25	6	20	Φ6	60	3
DM8*1.25*D8	M8*1.25	1.25	6.5	17	Φ8	63	3
DM10*1.5*D8	M10*1.5	1.5	8	22	Φ8	63	3
DM10*1.5*D10	M10*1.5	1.5	8.2	21	Φ10	73	3
DM12*1.5*D10	M12*1.5	1.5	10	25	Φ10	73	4
DM12*1.75*D10	M12*1.75	1.75	10	25	Φ10	73	3
DM14*2*D10	M14*2	2	10	28	Φ10	73	3
DM14*2*D12	M14*2	2	11.5	29	Φ12	75	4
DM16*1.5*D12	M16*1.5	1.5	12	32	Φ12	83	4
DM16*2*D12	M16*2	2	12	32	Φ12	83	4
DM16*2*D14	M16*2	2	13.6	32	Φ14	83	4
DM20*1.5*D16	M20*1.5	1.5	16	40	Φ16	92	4
DM20*2*D16	M20*2	2	16	40	Φ16	92	4
DM20*2.5*D16	M20*2.5	2.5	16	41	Φ16	92	4
DM20*2.5*D18	M20*2.5	2.5	17.1	41	Φ18	92	4
DM24*3*D16	M24*3	3	16	42	Φ16	92	4
DM27*3*D20	M27*3	3	20	43	Φ20	100	4

螺纹铣刀



P M K N
☑ ☑ ☑ ☐

S H
☐ ☐



ITEM CODE	M coarse	P	d	L1	Dh6	L	F
QM1. 6*0. 35*D4	M1. 6*0. 35	0. 35	1. 2	3. 2	Φ 4	50	3
QM2*0. 4*D4	M2*0. 4	0. 4	1. 54	4	Φ 4	50	3
QM2. 5*0. 45*D4	M2. 5*0. 45	0. 45	1. 96	5	Φ 4	50	3
QM3*0. 5*D4	M3*0. 5	0. 5	2. 4	6	Φ 4	50	3
QM3. 5*0. 6*D4	M3. 5*0. 6	0. 6	2. 75	7	Φ 4	50	3
QM4*0. 5*D4	M4*0. 5	0. 5	3. 1	8	Φ 4	50	3
QM4*0. 7*D4	M4*0. 7	0. 7	3. 1	8	Φ 4	50	3
QM5*0. 8*D4	M5*0. 8	0. 8	4	10. 4	Φ 4	50	3
QM5*0. 8*D6	M5*0. 8	0. 8	4. 05	10. 4	Φ 6	57	3
QM6*0. 5*D6	M6*0. 5	0. 5	5	12	Φ 6	57	3
QM6*0. 75*D6	M6*0. 75	0. 75	5	12	Φ 6	57	3
QM6*1*D6	M6*1	1	4. 8	12	Φ 6	57	3
QM8*0. 75*D6	M8*0. 75	0. 75	6	16	Φ 6	60	3
QM8*1*D6*D6	M8*1	1	6	16	Φ 6	60	3
QM8*1. 25*D6	M8*1. 25	1. 25	6	16	Φ 6	60	3
QM8*1. 25*D8	M8*1. 25	1. 25	6. 5	16	Φ 8	60	3
QM10*1*D8	M10*1	1	7. 9	20	Φ 8	63	4
QM10*1. 25*D8	M10*1. 25	1. 25	7. 9	20	Φ 8	63	4
QM10*1. 5*D8	M10*1. 5	1. 5	7. 7	20	Φ 8	63	4
QM10*1. 5*D10	M10*1. 5	1. 5	8. 2	20	Φ 10	73	4
QM12*1*D10	M12*1	1	10	24	Φ 10	73	4
QM12*1. 25*D10	M12*1. 25	1. 25	9. 9	24	Φ 10	73	4
QM12*1. 5*D10	M12*1. 5	1. 5	9. 4	24	Φ 10	73	4
QM12*1. 75*D10	M12*1. 75	1. 75	9. 4	24	Φ 10	73	4
QM14*2*D10	M14*2	2	10	28	Φ 10	73	4
QM14*2*D12	M14*2	2	11. 5	29	Φ 12	83	4
QM16*1*D12	M16*1	1	12	32	Φ 12	83	4
QM16*1. 5*D12	M16*1. 5	1. 5	11. 9	32	Φ 12	83	4
QM16*2*D12	M16*2	2	12	32	Φ 12	83	4
QM16*2*D14	M16*2	2	13. 6	33	Φ 14	83	5
QM18*2. 5*D14	M18*2. 5	2. 5	14	38	Φ 14	83	5
QM20*1. 5*D16	M20*1. 5	1. 5	16	40	Φ 16	92	5
QM20*2*D16	M20*2	2	16	40	Φ 16	92	5
QM20*2. 5*D16	M20*2. 5	2. 5	16	40	Φ 16	92	5
QM20*2. 5*D18	M20*2. 5	2. 5	17. 1	41	Φ 18	92	5
QM24*3*D16	M24*3	3	16	42	Φ 16	92	5
QM27*3*D20	M27*3	3	20	45	Φ 20	100	5

外螺纹	UNC	UNF	UNEF	d	L1	Dh6	L	F
	No. 8-32			3. 2	8. 7	Φ 4	50	3
		No. 12-28		3. 9	11. 8	Φ 4	50	3
	No. 12-24			3. 9	11. 6	Φ 4	50	3
	1/4"*20			4	12. 7	Φ 4	50	3
	1/4"*20			5	12	Φ 6	50	3
	5/16"*18			5. 9	16	Φ 6	50	3
	3/8"*16			6. 7	19. 5	Φ 8	63	4
	9/16"*12			11. 8	28	Φ 12	83	4
内螺纹	No. 8-36			3. 3	8. 5	Φ 4	50	3
	No. 10-32	No. 12-3/8"*32		3. 5	11. 1	Φ 4	50	3
	No. 12-28, 1/4"*28	7/16", 1/2"*28		3. 9	11. 8	Φ 4	50	3
	1/4"*28	7/16", 1/2"*28		5	12	Φ 6	50	3
		7/16", 1/2"*28		9. 2	22. 7	Φ 10	73	4
No. 10-24	5/16", 3/8"*24	9/16", 11/16"*24		3. 7	10. 6	Φ 4	50	3
	5/16", 3/8"*24	9/16", 11/16"*24		6	16	Φ 6	50	3
	3/8"*24	9/16", 11/16"*24		7. 4	20	Φ 8	60	4
		9/16", 11/16"*24		11. 9	28. 6	Φ 12	83	4
1/4"*20	7/16", 1/2"*20	3/4"-1"*20		4	12. 7	Φ 4	50	3
	7/16", 1/2"*20	3/4"-1"*20		7. 9	23	Φ 8	63	4
	1/2"*20	3/4"-1"*20		10	25. 4	Φ 10	73	4
		3/4"-1"*20		14	38. 1	Φ 14	92	5
5/16"*18	9/16", 5/8"*18	11/16"-1, 11/16"*18		5. 9	16	Φ 6	50	3
	9/16", 5/8"*18	11/16"-1, 11/16"*18		10	25. 4	Φ 10	73	4
	5/8"*18	11/16"-1, 11/16"*18		11. 9	30	Φ 12	83	4
3/8"*16	3/4"*16			6. 7	19. 5	Φ 8	63	3
	3/4"*16			12	37	Φ 12	83	4
	3/4"*16			15. 9	38. 1	Φ 16	92	5
7/16"*14	7/8"*14			9	23. 6	Φ 10	73	4
	7/8"*14			16	40	Φ 16	92	5
1/2"*13				9. 4	25. 4	Φ 10	73	4
9/16"*12	1"-1 1/2"*12			11. 8	28	Φ 12	83	4
	1"-1 1/2"*12			19. 9	50. 8	Φ 20	100	5
5/8"*11				11. 9	32. 3	Φ 12	83	4
3/4"*10				14	38. 1	Φ 14	92	5
7/8"*9				16	45. 2	Φ 16	92	5
1"*8				20	50. 8	Φ 20	100	5

		M coarse	d	L1	Dh6	L	F
单牙螺纹铣刀 single-tooth thread milling cutter	W3/16-24	1. 058	3. 5	12	Φ 4	50	3
	G/RC1/4/20	1. 27	4	12	Φ 4	50	4
	G/RC 1/16 1/8-28	0. 907-1. 337	6	15	Φ 6	50	4
	G/RC1/2/14	1. 814	8	22	Φ 8	60	4
	G/RC1/2 3/4-14	1. 814	10	30	Φ 10	75	4
	G/RC1-11	2. 309	12	38	Φ 12	75	4

		M coarse	d	L1	Dh6	L	F
三牙螺纹铣刀 three-tooth thread milling cutter	1/16"*28	28	6	18	Φ 6	50	3
	1/8"*28	28	8	25	Φ 8	60	4
	1/4"*19	19	10	30	Φ 10	75	4
	3/8"*19	19	12	38	Φ 12	75	4
	1/2", 3/4"*14	14	12	38	Φ 12	75	4
	1", 1 1/2", 2", 2 1/2"*11	11	16	46	Φ 16	92	5

		M coarse	d	L1	Dh6	L	F
全牙螺纹铣刀 full tooth thread milling cutter	G 1/16	0. 907	6	16. 3	Φ 6	57	3
	G 1/8-28	0. 907	7. 7	20	Φ 8	63	4
	G 1/4-19	1. 337	9. 9	26. 7	Φ 10	73	4
	G 3/8-19	1. 337	12	31	Φ 12	75	4
	G 3/8-19	1. 337	13. 4	33. 4	Φ 14	92	5
	G1/2 3/4-14	1. 814	12	35	Φ 12	75	4
	G1/2 3/4-14	1. 814	15. 7	40	Φ 16	92	5
	G 1-11	2. 309	16	40	Φ 16	92	5


		M coarse	d	L1	Dh6	L	F
螺纹铣刀(RC) thread milling cutter	1/16"*28	28	5. 8	16. 3	Φ 6	57	3
	1/8"*28	28	7. 7	20	Φ 8	63	3
	1/4"*19	19	9. 9	26. 7	Φ 10	73	4
	3/8"*19	19	12	25. 4	Φ 12	75	4
	3/8"*19	19	13. 4	33. 4	Φ 14	92	5
	1/2", 3/4"*14	14	12	25. 4	Φ 12	75	4
	1/2", 3/4"*14	14	15. 7	43. 5	Φ 16	92	5
	PT 1-11	11	14	30	Φ 16	92	5

		M coarse	d	L1	Dh6	L	F
螺纹铣刀(NPT/NPTF) thread milling cutter	1/16"*27	27	5. 3	9. 4	Φ 6	57	3
	1/8"*27	27	7. 5	9. 4	Φ 8	63	4
	1/4"*18	18	9. 4	14. 1	Φ 10	73	4
	3/8"*18	18	11. 9	21. 21	Φ 12	83	4
	1/2", 3/4"*14	14	12	25. 4	Φ 12	75	4
	1/2", 3/4"*14	14	15. 5	25. 4	Φ 16	92	5
	1"-2"*11. 5	11. 5	15. 9	33. 1	Φ 16	92	5
	2 1/2", 3"*8	8	16	38. 1	Φ 16	92	5

	UNC	UNF	M coarse	d	L1	Dh6	L	F
螺纹铣刀(NPT/NPTF) thread milling cutter		No. 0-80	80	1. 2	4	Φ 4	50	3
		No. 1-72	72	1. 45	4	Φ 4	50	3
	No. 1-64	No. 2-64	64	1. 4	4	Φ 4	50	3
	No. 2-56	No. 3-56	56	1. 65	5. 0	Φ 4	50	3
	No. 3-56		56	1. 95	5. 5	Φ 4	50	3
	No. 3-48	No. 4-48	48	1. 95	5. 0	Φ 4	50	3
		No. 4-48	48	2. 25	6. 0	Φ 4	50	3
	No. 4-40	No. 6-40	40	2. 15	6. 0	Φ 4	50	3
	No. 5-40	No. 6-40	40	2. 45	7. 5	Φ 4	50	3
	No. 6-40		40	2. 75	7. 5	Φ 4	50	3
		No. 8-36	36	3. 3	9	Φ 4	50	3
	No. 6-32, No. 8-32	No. 10-32	32	2. 65	7. 5	Φ 4	50	3
	No. 8-32	No. 10-32	32	3. 2	9. 0	Φ 4	50	3
		No. 10-32	32	3. 5	10	Φ 4	50	3
		No. 10-24	24	3. 7	10	Φ 4	50	3
	1/4"*20		20	4. 9	16	Φ 6	50	3
		1/4"*28	28	5	15	Φ 6	50	3
		5/16"*24	24	6	20	Φ 6	50	4
		3/8"*24	24	7. 9	25. 4	Φ 8	60	4
		7/16"*20	20	7. 9	25. 4	Φ 8	60	4
	5/16"*18		18	6	18	Φ 6	50	4
	3/8"*16		16	7. 4	25. 4	Φ 8	60	4
	7/16"*14		14	9. 0	25. 4	Φ 10	75	4

镗刀 | Boring Tool

整体钨钢一次成型, 规格齐全支持定制。
Whole tungsten steel is formed in one go,
with complete specifications supporting customization.




GEEFUN®

➤MGR

MGR系列镗刀

MGR-Cermented carbide small diameter cutter
(Boring cutter)

MGR | 镗刀
Boring Tool



ITEM CODE	B	S	L1	R	F	D	L2	最小加工孔径
MGR3-B0.5-L10	0.5	1	10	0.05	2.8	Φ4	50	3.0mm
MGR3-B0.8-L10	0.8	1	10	0.05	2.8	Φ4	50	3.0mm
MGR4-B1.0-L10	1.0	1.5	10	0.05	2.8	Φ4	50	3.0mm
MGR4-B1.5-L10	1.5	1.5	10	0.05	2.8	Φ4	50	3.0mm
MGR4-B1.0-L15	1.0	1.5	15	0.05	3.8	Φ4	50	4.0mm
MGR4-B1.5-L15	1.5	1.5	15	0.05	3.8	Φ4	50	4.0mm
MGR5-B1.0-L15	1.0	1.5	15	0.1	4.8	Φ5	50	5.0mm
MGR5-B1.5-L15	1.5	2	15	0.1	4.8	Φ5	50	5.0mm
MGR5-B2.0-L15	2.0	2	15	0.1	4.8	Φ5	50	5.0mm
MGR5-B1.0-L22	1.0	1.5	22	0.1	4.8	Φ5	50	5.0mm
MGR5-B1.5-L22	1.5	2	22	0.1	4.8	Φ5	50	5.0mm
MGR5-B2.0-L22	2.0	2	22	0.1	4.8	Φ5	50	5.0mm
MGR6-B1.0-L15	1.0	2	15	0.15	5.8	Φ6	50	6.0mm
MGR6-B1.5-L15	1.5	2	15	0.15	5.8	Φ6	50	6.0mm
MGR6-B2.0-L15	2.0	2	15	0.15	5.8	Φ6	50	6.0mm
MGR6-B1.0-L22	1.0	2	22	0.15	5.8	Φ6	50	6.0mm
MGR6-B1.5-L22	1.5	2	22	0.15	5.8	Φ6	50	6.0mm
MGR6-B2.0-L22	2.0	2	22	0.15	5.8	Φ6	50	6.0mm
MGR8-B2.5-L22	2.5	3	22	0.15	7.8	Φ8	60	8.0mm

GEEFUN®

MIR

MIR系列镗刀


MIR-Cermented carbide small diameter cutter
(Boring cutter)

MIR

镗刀
Boring Tool



P M K N
S H



ITEM CODE	F	L1	S	R	D	L2	mm	牙数/英寸
MIR14-L5-A60	1.4	5	0.4	0	Φ4	50	0.2-0.35	64-56
MIR18-L7-A60	1.8	7	0.6	0	Φ4	50	0.35-0.6	56-32
MIR24-L7-A60	2.4	7	0.6	0	Φ4	50	0.35-0.7	40-32
MIR3-L15-A60	3	15	0.8	0.03	Φ4	50	0.5-0.75	32-24
MIR4-L15-A60	3.8	15	1	0.05	Φ4	50	0.5-1.0	28-24
MIR5-L15-A60	4.8	15	1.5	0.08	Φ5	50	0.75-1.0	24-20
MIR5-L22-A60	4.8	22	1.5	0.08	Φ5	50	0.75-1.0	24-20
MIR6-L15-A60	5.6	15	1.8	0.1	Φ6	50	1.0-1.5	24-16
MIR6-L22-A60	5.6	22	1.8	0.1	Φ6	50	1.0-1.5	24-16
MIR8-L22-A60	7.8	22	2.2	0.1	Φ8	60	1.0-1.75	24-13

GEEFUN®

MFR

MFR系列镗刀

MFR-Cermented carbide small diameter cutter
(Boring cutter)

MFR

镗刀
Boring Tool




P M K N
S H




ITEM CODE	B	T	L1	R	F	D	L2	最小加工孔径
MFR4-B0.5-15L	0.5	1	15	0.05	1.95	Φ4	50	6.0mm
MFR4-B0.75-15L	0.75	1.5	15	0.05	1.95	Φ4	50	6.0mm
MFR4-B1.0-15L	1	1.5	15	0.05	1.95	Φ4	50	6.0mm
MFR4-B1.5-15L	1.5	2.8	15	0.05	1.95	Φ4	50	6.0mm
MFR5-B0.75-22L	0.75	1.5	22	0.1	2.45	Φ5	50	6.0mm
MFR5-B1.0-22L	1	1.5	22	0.1	2.45	Φ5	50	6.0mm
MFR5-B1.5-22L	1.5	2.5	22	0.1	2.45	Φ5	50	6.0mm
MFR5-B2.0-22L	2	4	22	0.1	2.45	Φ5	50	6.0mm
MFR6-B1.0-22L	1	2	22	0.1	2.95	Φ6	50	8.0mm
MFR6-B1.5-22L	1.5	3	22	0.1	2.95	Φ6	50	8.0mm
MFR6-B2.0-22L	2	4	22	0.1	2.95	Φ6	50	8.0mm
MFR6-B2.5-22L	2.5	5	22	0.1	2.95	Φ6	50	8.0mm
MFR8-B3.0-22L	3	6	22	0.2	3.95	Φ8	60	10.0mm




ITEM CODE	B	T	L1	R	F	D	L2	最小加工孔径
MFL4-B0.5-15L	0.5	1	15	0.05	1.95	Φ4	50	6.0mm
MFL4-B0.75-15L	0.75	1.5	15	0.05	1.95	Φ4	50	6.0mm
MFL4-B1.0-15L	1	1.5	15	0.05	1.95	Φ4	50	6.0mm
MFL4-B1.5-15L	1.5	2.8	15	0.05	1.95	Φ4	50	6.0mm
MFL5-B0.75-22L	0.75	1.5	22	0.1	2.45	Φ5	50	6.0mm
MFL5-B1.0-22L	1	1.5	22	0.1	2.45	Φ5	50	6.0mm
MFL5-B1.5-22L	1.5	2.5	22	0.1	2.45	Φ5	50	6.0mm
MFL5-B2.0-22L	2	4	22	0.1	2.45	Φ5	50	6.0mm
MFL6-B1.0-22L	1	2	22	0.1	2.95	Φ6	50	8.0mm
MFL6-B1.5-22L	1.5	3	22	0.1	2.95	Φ6	50	8.0mm
MFL6-B2.0-22L	2	4	22	0.1	2.95	Φ6	50	8.0mm
MFL6-B2.5-22L	2.5	5	22	0.1	2.95	Φ6	50	8.0mm
MFL8-B3.0-22L	3	6	22	0.2	3.95	Φ8	60	10.0mm



ITEM CODE	F	L1	S	R	D	L2	最小加工孔径
MPR1-R0.05-L4	0.85	4	0.15	0.05	Φ4	50	1.0mm
MPR1.5-R0.1-L6	1.3	6	0.15	0.1	Φ4	50	1.5mm
MPR2-R0.1-L10	1.8	10	0.3	0.1	Φ4	50	2.0mm
MPR2-R0.2-L10	1.8	10	0.3	0.2	Φ4	50	2.0mm
MPR2-R0.1-L15	1.8	15	0.3	0.1	Φ4	50	2.0mm
MPR2-R0.2-L15	1.8	15	0.3	0.2	Φ4	50	2.0mm
MPR2.5-R0.1-L10	2.3	10	0.3	0.1	Φ4	50	2.5mm
MPR2.5-R0.2-L10	2.3	10	0.3	0.2	Φ4	50	2.5mm
MPR3-R0.1-L10	2.7	10	0.3	0.1	Φ4	50	3.0mm
MPR3-R0.2-L10	2.7	10	0.3	0.2	Φ4	50	3.0mm
MPR3-R0.1-L15	2.7	15	0.3	0.1	Φ4	50	3.0mm
MPR3-R0.2-L15	2.7	15	0.3	0.2	Φ4	50	3.0mm
MPR4-R0.1-L10	3.7	10	0.7	0.1	Φ4	50	4.0mm
MPR4-R0.2-L10	3.7	10	0.7	0.2	Φ4	50	4.0mm
MPR4-R0.1-L15	3.7	15	0.7	0.1	Φ4	50	4.0mm
MPR4-R0.2-L15	3.7	15	0.7	0.2	Φ4	50	4.0mm
MPR4-R0.1-L22	3.7	22	0.7	0.1	Φ4	50	4.0mm
MPR4-R0.2-L22	3.7	22	0.7	0.2	Φ4	50	4.0mm
MPR5-R0.1-L15	4.7	15	1.2	0.1	Φ5	50	5.0mm
MPR5-R0.2-L15	4.7	15	1.2	0.2	Φ5	50	5.0mm
MPR5-R0.1-L22	4.7	22	1.2	0.1	Φ5	50	5.0mm
MPR5-R0.2-L22	4.7	22	1.2	0.2	Φ5	50	5.0mm
MPR6-R0.1-L15	5.7	15	1.2	0.1	Φ6	50	6.0mm
MPR6-R0.2-L15	5.7	15	1.2	0.2	Φ6	50	6.0mm
MPR6-R0.1-L22	5.7	22	1.2	0.1	Φ6	50	6.0mm
MPR6-R0.2-L22	5.7	22	1.2	0.2	Φ6	50	6.0mm
MPR8-R0.15-L30	7.5	30	1.5	0.15	Φ8	60	8.0mm
MPR8-R0.3-L30	7.5	30	1.5	0.3	Φ8	60	8.0mm



ITEM CODE	F	L1	S	R	D	L2	最小加工孔径
MTR1-R0.05-L4	0.85	4	0.15	0.05	Φ4	50	1.0mm
MTR1.5-R0.1-L5	1.3	5	0.2	0.1	Φ4	50	1.5mm
MTR2-R0.1-L10	1.8	10	0.25	0.1	Φ4	50	2.0mm
MTR2-R0.15-L10	1.8	10	0.25	0.15	Φ4	50	2.0mm
MTR2.5-R0.15-L10	2.3	10	0.3	0.15	Φ4	50	2.5mm
MTR2.5-R0.15-L15	2.3	15	0.3	0.15	Φ4	50	2.5mm
MTR3-R0.1-L10	2.7	10	0.3	0.1	Φ4	50	3.0mm
MTR3-R0.1-L15	2.7	15	0.3	0.1	Φ4	50	3.0mm
MTR3-R0.15-L10	2.7	10	0.3	0.15	Φ4	50	3.0mm
MTR3-R0.15-L15	2.7	15	0.3	0.15	Φ4	50	3.0mm
MTR3-R0.2-L10	2.7	10	0.3	0.2	Φ4	50	3.0mm
MTR3-R0.2-L15	2.7	15	0.3	0.2	Φ4	50	3.0mm
MTR4-R0.1-L10	3.7	10	0.4	0.1	Φ4	50	4.0mm
MTR4-R0.1-L15	3.7	15	0.4	0.1	Φ4	50	4.0mm
MTR4-R0.1-L22	3.7	22	0.4	0.1	Φ4	50	4.0mm
MTR4-R0.15-L10	3.7	10	0.4	0.15	Φ4	50	4.0mm
MTR4-R0.15-L15	3.7	15	0.4	0.15	Φ4	50	4.0mm
MTR4-R0.15-L22	3.7	22	0.4	0.15	Φ4	50	4.0mm
MTR4-R0.2-L10	3.9	10	0.4	0.2	Φ4	50	4.0mm
MTR4-R0.2-L15	3.9	15	0.4	0.2	Φ4	50	4.0mm
MTR4-R0.2-L22	3.9	22	0.4	0.2	Φ4	50	4.0mm
MTR4-R0.2-L30	3.9	30	0.4	0.2	Φ4	60	4.0mm



ITEM CODE	F	L1	S	R	D	L2	最小加工孔径
MTR5-R0.1-L15	4.7	15	0.5	0.1	Φ5	50	5.0mm
MTR5-R0.1-L22	4.7	22	0.5	0.1	Φ5	50	5.0mm
MTR5-R0.2-L15	4.7	15	0.5	0.2	Φ5	50	5.0mm
MTR5-R0.2-L22	4.7	22	0.5	0.2	Φ5	50	5.0mm
MTR5-R0.1-L30	4.7	30	0.5	0.1	Φ5	75	5.0mm
MTR5-R0.2-L30	4.9	30	0.5	0.2	Φ5	75	5.0mm
MTR6-R0.1-L15	5.7	15	0.5	0.1	Φ6	50	6.0mm
MTR6-R0.1-L22	5.7	22	0.5	0.1	Φ6	50	6.0mm
MTR6-R0.2-L15	5.7	15	0.5	0.2	Φ6	50	6.0mm
MTR6-R0.2-L22	5.7	22	0.5	0.2	Φ6	50	6.0mm
MTR6-R0.2-L30	5.7	30	0.5	0.2	Φ6	50	6.0mm
MTR6-R0.2-L35	5.9	35	0.5	0.2	Φ6	75	6.0mm
MTR8-R0.2-L30	7.5	30	0.5	0.2	Φ8	60	8.0mm
MTR8-R0.2-L35	7.5	35	0.5	0.2	Φ8	75	8.0mm
MTR10-R0.2-L35	9.9	35	0.5	0.2	Φ10	75	10.0mm

SED系列涂层先端丝锥								
	产品系列	直径 D1	螺距 P	螺纹长度 L2	颈长 L3	全长 L1	刃数	精度 TAP
	SED-M3*0.5	M3	0.5	10	18	56	3F	6HX
	SED-M4*0.7	M4	0.7	13	21	63	3F	6HX
	SED-M5*0.8	M5	0.8	16	25	70	3F	6HX
	SED-M6*1.0	M6	1	18	30	80	3F	6HX
	SED-M8*1.0	M8	1	20	35	90	4F	6HX
	SED-M8*1.25	M8	1.25	20	35	90	4F	6HX
	SED-M10*1.0	M10	1	20	39	100	4F	6HX
	SED-M10*1.25	M10	1.25	20	39	100	4F	6HX
	SED-M10*1.5	M10	1.5	20	39	100	4F	6HX
	SED-M12*1.25	M12	1.25	25	/	110	5F	6HX
	SED-M12*1.5	M12	1.5	25	/	110	5F	6HX
	SED-M12*1.75	M12	1.75	25	/	110	5F	6HX
	SED-M14*1.5	M14	1.5	25	/	110	5F	6HX
	SED-M14*2.0	M14	2	25	/	110	4F	6HX
	SED-M16*1.5	M16	1.5	25	/	110	4F	6HX
	SED-M16*2.0	M16	2	25	/	110	4F	6HX
	SED-M18*1.5	M18	1.5	25	/	125	4F	6HX
	SED-M18*2.5	M18	2.5	25	/	125	4F	6HX
	SED-M20*1.5	M20	1.5	28	/	140	4F	6HX
	SED-M20*2.5	M20	2.5	28	/	140	4F	6HX

SFD系列涂层螺旋丝锥								
	产品系列	直径 D1	螺距 P	螺纹长度 L2	颈长 L3	全长 L1	刃数	精度 TAP
	SFD-M3*0.5	M3	0.5	10	18	56	3F	6H
	SFD-M4*0.7	M4	0.7	8.4	21	63	3F	6H
	SFD-M5*0.8	M5	0.8	9.6	25	70	3F	6H
	SFD-M6*1.0	M6	1	12	30	80	3F	6H
	SFD-M8*1.0	M8	1	15	35	90	3F	6HX
	SFD-M8*1.25	M8	1.25	15	35	90	3F	6H
	SFD-M10*1.0	M10	1	18	39	100	3F	6HX
	SFD-M10*1.25	M10	1.25	18	39	100	3F	6HX
	SFD-M10*1.5	M10	1.5	18	39	100	3F	6H
	SFD-M12*1.5	M12	1.5	18	/	110	3F	6HX
	SFD-M12*1.25	M12	1.25	18	/	110	3F	6HX
	SFD-M12*1.75	M12	1.75	18	/	110	3F	6H
	SFD-M14*1.5	M14	1.5	20	/	110	3F	6HX
	SFD-M14*2.0	M14	2	20	/	110	3F	6H
	SFD-M16*1.5	M16	1.5	20	/	110	3F	6HX
	SFD-M16*2.0	M16	2	20	/	110	3F	6HX
	SFD-M18*1.5	M18	1.5	25	/	125	4F	6HX
	SFD-M18*2.5	M18	2.5	25	/	125	4F	6HX
	SFD-M20*1.5	M20	1.5	25	/	140	4F	6HX
	SFD-M20*2.5	M20	2.5	25	/	140	4F	6HX



关于我们



ADD: Building 6-5, No.200 datong West Road, Niutang Town, Wujin District,
Changzhou city, Jiangsu Province, China

(ABROAD) Email: admin@czxtjfgjc.com / christinawang@geefuntools.com

Mobile/Wechat/whatsApp: +86 13616139251

(DOMESTIC) Email: jackye@geefuntools.com

Mobile/Wechat: +86 13616135521

Web: www.geefuntools.com



OFFICIAL WEBSITE